Serial No. 09/386,529 August 8, 2002 Page 3

IN THE CLAIMS:

Please amend Claims 1, 8, and 9 as follows:

1. (Amended) A method for assigning domain names on a wide area network to a client by a provider operating a provider computer, wherein the domain name is defined by a plurality of name level components including a provider component and a client component, comprising:

selecting a provider component of the domain name by the client, wherein the provider component is defined by the provider;

selecting a client component of the domain name, wherein the client component is selected by the client;

submitting a proposed name to the provider computer, wherein the proposed domain name is a combination of the plurality of the selected components, wherein the domain name is configured such that the client component is followed by the provider component; and

determining whether the proposed name is to be assigned to the client.

A

Serial No. 09/386,529 August 8, 2002 Page 4

8. (Amended) A method for retrieving an assigned domain on a wide area network by a provider computer, wherein the assigned domain is referenced by an assigned domain name which is requested by a user, the domain name having a computer address being defined by a plurality of components including a thirdlevel component, a secondlevel component and a toplevel component, the provider computer including a domain hosting system having a scheduler, a plurality of redirectors, a plurality of servers and a data storage apparatus, comprising:

identifying the computer address of the assigned domain name requested by the user, wherein the computer address is determined by the secondlevel component and toplevel component of the domain name;

executing a parsing procedure, wherein the user requested domain name is translated to a provider defined subdomain name and a client directory, wherein the provider defined subdomain name is partially determined by the secondlevel and toplevel components of the assigned domain name and wherein the client directory is partially determined by the thirdlevel component of the assigned domain name;

identifying a second computer address, wherein the second computer address identifies the provider defined subdomain name; and

transmitting a data associated with the second computer address to the user.

A

Serial No. 09/386,529 August 8, 2002 Page 5

)

9. (Amended) A domain management system including a provider defined data structure for use on a network system, the network system including a user computer and a provider computer coupled via a network, wherein the user computer is capable of transmitting a domain request and the provider computer is capable of receiving the domain request, comprising

a name assignment system, and

a hosting system, wherein the hosting system comprises a scheduler, a plurality of redirectors, a plurality of servers, and a data storage apparatus, wherein the redirectors includes a parsing mechanism, the parsing mechanism being capable of translating the domain request, which is transmitted by the user computer, to the provider defined data structure.